Scan to Explore
Our E-catalogs

"Customers are the most important visitors on our premises. They are not dependent on us, we are dependent on them. They are not an interruption in our work, they are the purpose of it. They are not an outsider in our business, they are the part of it. We are not doing them the favor by serving them, they are doing us a favor by giving us the opportunity to do so."

STONE UNIVERSE INC.
NATURAL STONE

www.suistone.com

East Catalog
Volume -27

Quality Leader In Natural Stones

Committed to YOU ALWAYS Serving Across The United States

Limestone quarry

Sandstone quarry

Basalt stone quarry

Slatestone quarry

ABOUT STONE UNIVERSE

Stone Universe Inc. is one of the biggest natural stone wholesalers in the United States. Our journey began in 1999 as a wholesale distributor of natural stones in Gilroy, California. Shortly began the expansion of natural stone products with a focus on hardscaping. Our motive is to fetch the people with a product range where quality speaks for itself & rates are highly affordable. We at Stone Universe Inc believe in continuous expansion and innovation of our product line.

We offer a wide range of products - pool coping, column caps, wall caps, pavers patterns, treads, driveway pavers, cobblestone, flagstone, ledge stones, slabs, Pebbles etc in different sizes and finish. which is ideal for indoor and outdoor applications for both residential and commercial applications.

With 6 distribution centres in North California, South California, Washington, Maryland, Texas & Chicago. we carry trend-setting range of Natural Stone from India, Vietnam & other various countries, Porcelain Paver from Spain and Travertine collection from Turkey.

Locations (United States)

Stone Universe
(Corporate Headquarters)
2333 Grant Avenue,
San Lorenzo, CA 94580

Stone Universe (Southwest)
12102 Centralia Street,
Hawaiian Gardens
CA 90716

Stone Universe (Northwest)
5315 Milwaukee,
Ave E, Puyallup
WA 98372

Stone Universe (East)
7521 Lake Drive, Rosedale
Baltimore, MD 21237

Stone Universe (South)
2800 N Alexander Dr,
Baytown, TX 77520

Stone Universe (Midwest-Chicago)
3905 W Albany St,
McHenry, IL 60050

INDEX

Why Natural Stones?	03
DISCLAIMER	03
NEW LAUNCH	04
NURSERY COLLECTION	05 - 06
GRANITE	07 - 08
BASALT	09 - 10
QUARTZITE	11 - 12
Antique Gold	12
SANDSTONE	13 - 30
Vintage White	15 - 16
Antique Arctic White	17
Ebony Black	18
Grey Mist	19 - 20
Slate Grey	21
Dusty Wave	22
Buff	23 - 24
Autumn Mist	25 -26
Autumn Brown	27 - 28
Rainbow	29 - 30
LIMESTONE	31 - 38
Antique Black	33 - 34
Indian Bluestone	35
Indigo Bluestone	36
Lime Black	37
SLATE QUARTZITE MIX	38
Silver Pearl	38
SLATE	39 - 40
California Gold	40
TRAVERTINE	41 - 42
Antique Ivory	42
PRODUCTS	43 - 59
Ledge - Panel/Corner	43 - 44
Bullnose	45
Eased Edge	45
Steps	46
Slab	47
Garden Flagstone	48
Flagstone	48
Window Sill	48
Treads	49 - 50
Column Cap	51
Wall Cap	52
Thin Veneer	53
Bricks	54
Fountain	54
Stepping Stone	55
Cobblestone	56
Pebbles	56
Paver Ashlar Pattern	57
Paver Jumbo Pattern	58
Paver Versailles Pattern	58
Rock Face Jumbo Pattern	59
MARKETING PRODUCTS	60
PACKING CHART	61 - 62

Why Natural Stones?

ENDURANCE | UNIQUENESS | EASE OF MAINTENANCE | AGING | ECO-FRIENDLY

Disclaimer

Variations in color, texture, veining, clefting, etc. is an aspect of natural stones & should not be considered as flaws. Natural Stones are composed of minerals which makes it susceptible to various chemicals & harsh environments. Exposure to elements like sun, rain, snow, etc. over a period of time can affect the look of natural stones. Some of the most common effects include oxidation (or rusting), flaking, weathering, etc. We strongly discourage the use of acidic cleansers and suggest seeking professional help if necessary. It is recommended to seal natural stones periodically to reduce environmental effects.

All our products have dimensional tolerances which are an industry standard. Further, we recommend using the standard installation process and sealers recommended by the American National Standards Institute (ANSI) for natural stones as the process vary from installer to installer. It is extremely significant to inspect the material before fabrication or installation as we do not take any liability once the product is altered or installed.

NATURAL STONE DISCLAIMER

NEW LAUNCH

GARDEN FLAGSTONE

Available in : 1.5"±

Antique Arctic White

Antique Black

Antique Gold

Autumn Mist

Panther

Silver Pearl

STEPPING STONE

Basalt
16"-30"x 1"-¼ "±

Buff
Small- 15"-18"x1"-1¼"±,
Big- 24"x30"x1"-1¼"±

Panther
Small- 15"-18"x1"-1¼"±
Big- 24"x30"x1"-1¼"±

Silver Pearl
Small- 15"-18"x1"-1¼"±

VINTAGE WHITE BRICKS

Available in : 2"x2¼"x8"



NURSERY COLLECTION

COBBLESTONES

Available in : 3½"x3½"x3½"±, 8"x4"x2"±, 9"x5"x5"±, 10"x7"x4"±

Black

Grey

Gold

FOUNTAIN

Available in : H-30"-48" Dia (5"-8")±, H-30"-42" Dia (8"-10")±

NURSERY COLLECTION

PEBBLES

Available in : 1"- 3"±(Bag), 1"- 3"±(loose)

Crystal White

Polished Black



Mixed High Polished

Black Beach

Disclaimer- Not recommended the use of any pebbles in conjunction with DYED mulches of any kind.

STEPPING STONE (IRREGULAR)

Available in :15"-18"x1"-1¼"±,16"-30"x1"-1¼"±, 24"x 30"x1"-1¼"±

Antique Black

Autumn Brown

Autumn Mist

Basalt

Buff

Grey Mist

Panther

Silver Pearl

Black Granite

Black Granite is a timeless and classic natural stone, characterized by its deep black hue with subtle variations and occasional mineral flecks.

Finish : Thermal finish, edges are saw-cut, chiselled or a mixture of both depending on the product.

Color Variation : ★★☆☆☆

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
PAVER PATTERN* (4 sides saw cut)	1"±
SLAB (4 sides rock face)	72"x36"x2"±
	84"x36"x2"±
TREADS (3 sides eased edge & 1 long side rock face)	48"x12"x2"±
	72"x14"x2"±

*Paver Pattern Sizes include 12"x12", 12"x24", 24"x24", 24"x36" Nominal Sizing ⅛"± under

COLUMN CAP
(4 sides rock face)
24"x24"x2"±

SLAB
(4 sides rock face)
72"x36"x2"±, 84"x36"x2"±



PAVER PATTERN 1"±
(4 sides saw cut)
(Loose sizes available)
12"x12"±,
12"x24"±,
24"x24"±,
24"X36"±

TREADS
(3 sides eased edge & 1 long side rock face)
48"x12"x2"±
72"x14"x2"±

Grey Granite

This Grey Granite stone features a finely textured surface with a consistent blend of light and dark grey tones.

Finish : Thermal finish, edges are saw-cut, chiselled or a mixture of both depending on the product.

Color Variation : ★★☆☆☆

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
PAVER PATTERN* (4 sides saw cut)	1"±
SLAB (4 sides rock face)	72"x36"x2"±
	84"x36"x2"±
TREADS (3 sides eased edge & 1 long side rock face)	48"x12"x2"±
	72"x14"x2"±

*Paver Pattern Sizes include 12"x12", 12"x24", 24"x24", 24"x36" Nominal Sizing ⅛"± under

COLUMN CAP
(4 sides rock face)
24"x24"x2"±

SLAB
(4 sides rock face)
72"x36"x2"±, 84"x36"x2"±

PAVER PATTERN 1"±
(4 sides saw cut)
(Loose sizes available)
12"x12"±,
12"x24"±,
24"x24"±,
24"X36"±

TREADS
(3 sides eased edge & 1 long side rock face)
48"x12"x2"±
72"x14"x2"±

BASALT

Basalt is an igneous, volcanic rock that is produced by hardened lava. Basalt is mafic, which means it contains minerals with significant iron and magnesium. Other minerals making up basalt include pyroxene, plagioclase feldspar, amphibole and olivine. Basalt historically was used in street pavers & stadium seating in ancient Rome. Additionally, they are used as wall panels, countertops and fireplaces among others due to high abrasion resistance & compressive strength. High tensile strength, vibration resistance and durability make it an ideal choice for hardscaping.

Scan this QR code to Explore SUI Basalt stone Collection

Basalt has a color range from charcoal grey to black. It is a metamorphic stone, very dense, and durable which makes good paving material. A flamed top, unique lightly textured surface offers a slip-resistant surface that complements a wide variety of applications.

Finish : Thermal finish, edges are saw-cut, chiselled or a mixture of both depending on the product.

Color Variation : ★★☆☆☆

TYPE	Size in Inches (Approx.)
FOUNTAIN	H-30"-48" Dia (5"-8")±
	H-30"-42" Dia (8"-10")±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
PAVER ASHLAR PATTERN* (4 sides saw cut)	1"±
SLAB (4 sides saw cut)	72"x27"x2"±
	84"x27"x2"±
Stepping Stone (Irregular)	16"-30"x1"-1¼"±
TREADS (3 sides eased edge & 1 long side rock face)	48"x12"x2"±
	72"x12"x2"±

*Paver Ashlar Pattern Sizes Include 12"x12", 12"x18", 12"x24" 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal Sizing ⅛"± under

PAVER ASHLAR PATTERN 1"± (4 sides saw cut)

(Loose sizes available)
12"x12"±, 12"x24"±
24"x24"±, 24"x36"±



FOUNTAIN

H-30"-48" Dia (5"-8")±
H-30"-42" Dia (8"-10")±

STEPPING STONE (IRREGULAR)

16"-30"x1"-1¼"±

SLAB (4 sides saw cut)

72"x27"x2"±, 84"x27"x2"±,

TREADS (3 sides eased edge & 1 long side rock face)

48"x12"x2"±
72"x12"x2"±

QUARTZITE

Quartzite is a hard, non-foliated metamorphic rock formed with pure quartz sandstone. Sandstone is converted into quartzite due to heat and pressure of tectonic compression of the earth's crust. Pure quartzite is usually white to grey, though quartzite often occur in various shades of pink and red due to the presence of iron oxide in varying amounts. Mineral impurities change the color of stone to yellow, green, blue and orange etc. Quartzite is extremely durable and makes it suitable for use in most demanding applications. Quartzite is harder than granite & marble, it stands up better to abrasion in outdoor paving. The glossy surface and the color variation makes it a suitable choice for decorative and landscaping purposes, It is most commonly used in patios, garden pathways and lawn, backyard etc.

Scan this QR code to Explore SUI Quartzite Collection

ANTIQUE GOLD

Antique gold is a tumbled quartzite showcasing the blend of shimmering colors like gold, pink, brown, turquoise, etc. to form unique random patterns within the project while maintaining a comprehensive overall appearance. The high comprehensive strength of quartzite makes it suitable for a wide range of applications.

Finish: Tumbled finish, edges are smooth edges.

Color Variation: ★★★★★

TYPE	Size in Inches (Approx.)
GARDEN FLAGSTONE (sand base)	1.5"±
FLAGSTONE (sand base)	1.5"±

FLAGSTONE

1.5"± (sand base)

GARDEN FLAGSTONE

1.5"± (sand base)





Scan this QR code to Explore SUI Sandstone Collection

SANDSTONE

Sandstone is one of the most common types of sedimentary rock and is made up of three components - sediment particles, matrix, and cement. The sediment particles are pieces of minerals and fragments of rock. Matrix is a fine material that is present between the sediment and cement is the secondary mineral that binds the sediment to rock. Sandstone displays a lot of character, depending on the mix of matrix and cement, it portrays a wide range of colors from white to black, with grey, brown, red, pink and buff in between. It is durable and versatile, which makes it an ideal choice for indoors and outdoors. Sandstone are used in indoor settings such as flooring, kitchen counters & back splashes. Because of its natural ability to regulate heat, sandstone makes for excellent paving, especially for pool sides. It's naturally non slip, stays cool under foot in the summer and radiates heat in winter. It can be used to build outdoor ovens, fireplaces, patios or porches, retaining walls and walkways.

Disclaimer:

The hardness of sandstone varies depending on the binding material (cement). If the sediment particles are cemented by calcite, the sandstone will seem softer. Acid wash restricted. Not recommended.



VINTAGE WHITE

TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1½"±
	14"x24"x2"±
COLUMN CAP (4 sides rock face)	24"x24"x2"±
EASED EDGE (1long side eased edge)	14"x24"x2"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)*	12"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
STEPS (4 sides rock face)	48"x16"x6"±
SLAB (4 sides rock face)	72"x36"x2"±
	84"x36"x2"±
BRICKS	2"x2¼"x8"
THIN VENEER- ASHLAR (Flat & Corner)	2¼" ±, 5"±, 7¾"±, (Length Free)
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	72"x14"x2"±
WALL CAP (2 long sides rock face & 2 short side saw cut)	12"x24"x2"±
WINDOW SILL (1 long sides rock face)	24"x3"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal Sizing ½"± under

Vintage White Natural Stone is a high-quality natural material characterized by its soft white hues and subtle textural variations. this stone is suitable for a wide range of architectural and landscaping applications, including facades, flooring, patios, and walkways. Its inherent strength ensure long-term performance in exterior environments.

Finish: Thermal finish edges are saw-cut or chiseled depending on the product.

Color Variation: ★★☆☆☆

COLUMN CAP (4 sides rock face)

24"x24"x2"±

BULLNOSE (1 long side bullnose)

12"x24"x1½"±
14"x24"x2"±

EASED EDGE (1 long side eased edge)

14"x24"x2"±

STEPS (4 sides rock face)

48"x16"x6"±

PAVER ASHLAR PATTERN 1"±

(4 sides saw cut)

(Loose size available)
12"x24"x1"±
24"x24"x1"±
24"x36"x1"±



BRICKS 2"x2¼"x8"±

SLAB (4 sides rock face)

72"x36"x2"±, 84"x36"x2"±



THIN VENEER (Ashlar) 2¼"±, 5"±, 7¾"±, (Length Free)

TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2"±
72"x14"x2"±

WALL CAP (2 long sides rock face & 2 short side saw cut)

12"x24"x2"±

WINDOW SILL

(1 long side rock face)

24"x3"x2"±

ANTIQUE ARCTIC WHITE

GARDEN FLAGSTONE

1.5"± (Sand Base)

FLAGSTONE

1.5"± (Sand Base)

ROCKFACE PATTERN 1"± (4 sides rock face)

Antique Arctic White Natural Stone is a high-quality natural material characterized by its soft white hues and subtle textural variations. this stone is suitable for a wide range of architectural and landscaping applications, including facades, flooring, patios, and walkways. Its inherent strength ensure long-term performance in exterior environments.

Finish: Tumbled finish edges are Smooth or chiseled.

Color Variation: ★★☆☆☆

TYPE	SIZE IN INCHES (Approx.)
GARDEN FLAGSTONE (Sand Base)	1.5"±
FLAGSTONE (Sand Base)	1.5"±
ROCKFACE PATTERN (4 sides rock face)*	1"±

EBONY BLACK

Ebony Black sandstone displays medium to dark shades of grey and beige that can be used to create intriguing designs.

Finish: Natural finish, Edges are saw-cut, Chiseled edges or a mixture depending on the product.

Color Variation: ★★★★☆

TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2", 48"x14"x2", 72"x12"x2"±, 72"x14"x2", 72"x18"x2", 72"x24"x2"±

PAVER ASHLAR PATTERN 1"± (4 sides saw cut)

(loose sizes available)12"x12", 12"x24", 24"x24"±

TYPE	SIZE IN INCHES (Approx.)
FLAGSTONE (Sand Base)	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
ROCKFACE PATTERN (4 sides rock face)*	1"±
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24", Nominal sizing ½"± under

FLAGSTONE

1.5"± (Sand Base)

ROCKFACE PATTERN 1"± (4 sides rock face)



GREY MIST

Grey mist features a pallet of mellow to dark greys combined with occasional splashes of rust. Rust spots are general characteristics of the stone. Fairly consistent grey sandstone can blend into a wide range of color schemes creating contemporary and modern designs.

Finish: Natural finish, edges are saw cut, bullnose, eased edge chiseled edges or a mixture depending on the product.

Color Variation: ★★★☆☆

*Disclaimer: Grey mist sandstone is rich in iron content, which over time has the potential to discolor because of oxidation (or rusting). Acid wash restricted, Not recommended.

LEDGE STONE (Non-Cement Backing)

Corner- 6"x18"x6"x¾"±

Panel- 6"x24"x¾"±

WINDOW SILL (1 long size rock face)

24"x3"x2"±

TYPE	Size in inches (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1½"±
	14"x24"x2"±
COLUMN CAP (4 sides rock face)	24"x24"x2"±
EASED EDGE (1long sides eased edge)	14"x24"x2"±
FLAGSTONE (Sand base)	1.5"±
LEDGE STONE - PANEL	6"x24"x¾"±
LEDGE STONE - CORNER	6"x18"x6"x¾"±
PAVER ASHLAR PATTERN (4 sides saw cut)	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	⅞"±
SLAB (4 sides rock face)	72"x36"x2"±
	84"x36"x2"±
STEPS (4 sides rock face)	48"x16"x6"±
STEPPING STONE - IRREGULAR	15-18"x1"-1¼"±
	24"x 30"x1"-1¼"±
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±
WALL CAP (2 long sides rock face & 2 short sides saw cut)	12"x24"x2"±
	14"x24"x2"±
WINDOW SILL (1 long sides rock face)	24"x3"x2"±
*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24, 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing ½"± under	
*ROCK FACE JUMBO PATTERN SIZES INCLUDE 12"x12", 12"x24", 24"x24", 24"x36"	

BULLNOSE (1 long side bullnose)

12"x24"x1½"±
14"x24"x2"±

EASED EDGE (1 long side eased edge)

14"x24"x2"±

COLUMN CAP (4 sides rock face)

24"x24"x2"±

PAVER ASHLAR PATTERN 1"± (4 sides saw cut)

(loose sizes available)
12"x12",12"x24", 18"x18", 18"x24", 24"x24", 24"x36"±



ROCK FACE JUMBO PATTERN ⅞" ±

(4 sides rock face)

FLAGSTONE

1.5"±
(sand base)

STEPS (4 sides rock face)

48"x16"x6"±

STEPPING STONE (Irregular)

15"-18"x1"-1¼"±
24"x30"x1"-1¼"±

TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2"±, 48"x14"x2"±, 72"x12"x2"±,
72"x14"x2"±, 72"x18"x2"±, 72"x24"x2"±

SLAB (4 sides rock face)

72"x36"x2"±
84"x36"x2"±



WALL CAP (2 long sides rock face & 2 short sides saw cut)

12"x24"x2"±
14"X24"X2"±

SLATE GREY

Slate grey comprises light and dark grey variants. The beautiful color scheme of this natural stone easily blends with the entire landscaping design idea.
It is often used to create a neutral, calming, and sophisticated appearance.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★☆☆

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	7/8"±
TREADS (3 Sides Saw Cut & 1 Long Side Rock Face)	48"x12"x2"±
	72"x14"x2"±
WALL CAP (2 Long Sides Rock Face & 2 Short Sides Saw Cut)	14"x24"x2"±
*ROCK FACE JUMBO PATTERN sizes include 12"x12", 12"x24, 24"x24", 24"x36"	

COLUMN CAP (4 sides rock face)

24"x24"x2"±

WALL CAP (2 Long Sides Rock Face & 2 Short Sides Saw Cut)

14"x24"x2"±

ROCK FACE JUMBO PATTERN 7/8"±

(4 sides rock face)

TREADS

(3 Sides Saw Cut & 1 Long Side Rock Face)

48"x12"x2"±
72"x14"x2"±



DUSTY WAVE



Dusty wave is a light cream, beige-colored sandstone invigorating with rippled marking suggestive of desert waves. The light sandstone with darker orange to brown waves can create a refreshing look for any surface.
Finish: Natural finish. Edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★★☆

TYPE	SIZE IN INCHES (Approx.)
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x24"x1"±
	24"x24"x1"±
STEPS (4 Sides rock face)	48"x16"x6"±
* PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing 1/2"± under	

PAVER ASHLAR PATTERN 1"±

(4 sides saw cut)
(loose sizes available)

12"x24", 24"x24"±

STEPS (4 Sides rock face)

48"x16"x6"±

BUFF

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
FLAGSTONE	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)	1"±
PAVER (4 sides saw cut)	12"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	7/8"±
STEPPING STONE - IRREGULAR	15-18"x1"-1¼"±
	24"x 30"x1"-1¼"±
STEPS (4 sides rock face)	48"x16"x6"±
SLAB (4 sides rock face)	72"x36"x2"±
	84"x36"x2"±
TREADS (3 Sides Saw Cut & 1 Long Side Rock Face)	48"x12"x2"±
	48"x14"x2"±
	72"x14"x2"±
	72"x24"x2"±
WALL CAP (2 Long Sides Rock Face & 2 Short Sides Saw Cut)	14"x24"x2"±
*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18, 12"x24", 12"x30"± 18"x18" 18"x24", 18"x30", 24"x24, Nominal sizing ⅛"± under	
*ROCK FACE JUMBO PATTERN sizes include 12"x12", 12"x24, 24"x24", 24"x36"	

Buff shows dark variants of brown. It has a warm, earthy tone that is often used to create landscaping ideas. The neutral palette makes it a popular choice for outdoors that creates cozy and inviting spaces.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★☆☆

COLUMN CAP (4 sides rock face)
24"x24"x2"±

WALL CAP (2 Long Sides Rock Face & 2 Short Sides Saw Cut)
14"x24"x2"±

STEPPING STONE IRREGULAR
Small- 15"-18"x1"-1¼"±,
Big- 24"x30"x1"-1¼"±

FLAGSTONE
1.5"± (Sandstone)

PAVER ASHLAR PATTERN 1"± (4 sides saw cut)
(loose sizes available)
12"x24", 24"x24", 24"x36"±

ROCK FACE JUMBO PATTERN 7/8"±
(4 sides rock face)

STEPS (4 sides rock face)
48"x16"x6"±

SLAB (4 sides rock face)
72"x36"x2"±,
84"x36"x2"±

TREADS
(3 Sides Saw Cut & 1 Long Side Rock Face)
48"x12"x2"±, 48"x14"x2"±
72"x14"x2"±, 72"x24"x2"±

AUTUMN MIST

A beige-brown colored sandstone characterized by beautiful, unique fern-like fossil patterns, brown swirls throughout the surface.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★★★

*Disclaimer: Autumn mist is not recommended for installation around or near pools, spas and hot tubs.

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
	26"x26"x2"±
GARDEN FLAGSTONE (Sandbase)	1.5"±
FLAGSTONE (Sandbase)	1.5"±
LEDGE STONE-PANEL	6"x24"x¾"±
LEDGE STONE-CORNER	6"x18"x6"x¾"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
ROCK FACE JUMBO PATTERN (4 sides rock face)	⅞"±
STEPS (4 sides rock face)	48"x 16"x 6"±
STEPPING STONE - IRREGULAR	15"-18"x1"-1¼"±
	24"x 30"x1"-1¼"±
THIN VENEER LEDGE - (FLAT & CORNER)	1"±
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±
WALL CAP (2 long sides rock face & 2 short sides saw cut)	12"x24"x2"±
	14"x24"x2"±
WINDOW SILL (1 long sides rock face)	24"x3"x2"±
*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing ½"± under	
*ROCK FACE JUMBO PATTERN SIZES INCLUDE 12"x12", 12"x24", 24"x24", 24"x36"	

THIN VENEER (ledge) 1" ±



PAVER ASHLAR PATTERN 1"± (4 sides saw cut)
(loose sizes available)

12"x12", 12"x24"±
18"x18", 18"x24"±
24"x24", 24"x36"±

LEDGE STONE
(Non-Cement Backing)

Corner - 6"x18"x6"x¾"±

Panel - 6"x24"x¾"±

GARDEN FLAGSTONE
1.5"± (Sand Base)

FLAGSTONE
1.5"± (Sand Base)

COLUMN CAP (4 sides rock face)
24"x24"x2"±
26"x26"x2"±

STEPPING STONE (Irregular)
15"-18"x1"-1¼"±
24"x 30"x1"-1¼"±

STEPS (4 sides rock face)
48"x 16"x 6"±

WALL CAP
(2 long sides rock face & 2 short sides saw cut)
12"x24"x2"±
14"x24"x2"±

ROCK FACE JUMBO PATTERN ⅞"±
(4 sides rock face)

TREADS
(3 sides saw cut & 1 long side rock face)
48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±

WINDOW SILL
(1 long size rock face)
24"x3"x2"±

AUTUMN BROWN

Autumn brown sandstone is a simple blend of buff, light and dark browns. This earthly tone accompanied by the ability to blend in with other colors makes it a versatile option for paving and create stunning design patterns.

Finish : Natural finish, edges are saw-cut,bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★★☆☆

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
	26"x26"x2"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
FLAGSTONE (Sand base)	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
SLAB (4 sides rock face)	72"x 36"x 2"±
	84"x 36"x 2"±
STEPPING STONE (Irregular)	15"-18"x1"-1¼"±
	24"x 30"x1"-1¼"±
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	72"x12"x2"±
	72"x18"x2"±
	72"x24"x2"±
WALL CAP (2 long sides rock face & 2 short sides saw cut)	14"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing ½"± under

PAVER ASHLAR PATTERN 1"±

(4 sides saw cut)
(loose sizes available)
12"x24", 24"x24", 24"x36"±



STEPPING STONE (Irregular)

15"-18"x1"-1¼"±
24"x 30"x1"-1¼"±

COLUMN CAP (4 sides rock face)

24"x24"x2"±
26"x26"x2"±

WALL CAP (2 long sides rock face & 2 short sides saw cut)

14"x24"x2"±

EASED EDGE (1 long side eased edge)

14"x24"x2"±

SLAB (4 sides rock face)

72"x36"x2"±,
84"x36"x2"±

FLAGSTONE

1.5"± (Sandbase)

TREADS (3 sides saw cut & 1 long side rock face)

48"x12"x2"±
72"x12"x2"±
72"x18"x2"±
72"x24"x2"±

RAINBOW



This beige sandstone displays a multi verse of dark brown and golden yellow rippled markings and veins throughout the surface. Every piece of stone has its own unique random pattern reminiscent of the surface of the wood. Its smooth, sawn wood-like finish gives a crisp and clean feel making it suitable for both internal and external purposes.

Finish : Sawn finish, Edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★★★☆

*Disclaimer : Rainbow sandstone is relatively porous sandstone, sealing the stone before installation is highly recommended.

TYPE	SIZE IN INCHES (Approx.)
COLUMN CAP (4 sides rock face)	24"x24"x2"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x24"x1"±
	18"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
SLAB (4 sides rock face)	72"x 36"x 2"±
STEPS (3 sides rock face & 1 long side saw cut)	48"x 16"x 6"±
TREADS (3 sides saw cut & 1 long side rock face)	72"x12"x2"±
WALL CAP (2 long sides rock face & 2 Short sides saw cut)	12"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing ½"± under

PAVER ASHLAR PATTERN1"±
(4 side saw cut)
(Loose sizes available)
12"x24", 18"x24"±
24"x24", 24"x36"±

SLAB (4 sides rock face)
72"x36"x2"±

TREADS (3 sides saw cut & 1 long side rock face)
72"x12"x2"±

COLUMN CAP (4 sides rock face)
24"x24"x2"±

STEPS (3 sides rock face & 1 long side saw cut)
48"x16"x6"±

WALL CAP (2 long sides rock face & 2 short sides saw cut)
12"x24"x2"±



Scan this QR code
to Explore SUI
Limestone Collection

LIMESTONE

Limestone is a sedimentary rock composed primarily of calcium carbonate in the form of the mineral called calcite. it can contain considerable amounts of magnesium carbonate along with clay, iron carbonate, feldspar, pyrite and quartz in small amounts.

Limestone is known as a heavy, hard-wearing stone with a lightly textured surface which makes it an excellent material for patios. It's a very dense and durable stone and its use in architecture can be traced back to the pyramids or Egypt. There are hundred types of limestone available in different colors, textures and varying degrees of permeability making it aesthetically versatile. Limestone are extremely versatile as you can use them in a vast range of outdoor areas including patios, pathways, courtyards, verandas, pool side and stepping stones. some types are better suited for flat exterior surfaces than others. Furthermore, it has a naturally non-slip surface making it perfectly safe for areas that might get wet such as around pools, hot tubs and ponds.

Disclaimer:
Efflorescence is a white, chalky buildup of salt crystals that forms on limestone surfaces when water is present. It can make the stone look dull and less vibrant, creating the false impression that the stone's color is fading.

ANTIQUE BLACK

Antique Black consists of a blend of black and charcoal tones. The surface is tumbled to get a smooth, chalky antique look, which will dramatically change the ambience of your project.

Finish: Tumbled finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★☆☆☆

*Disclaimer: Antique Black limestone contain mineral salts that can cause efflorescence over time, lightening the natural stone color.

TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1½"±
	14"x24"x2"±
COLUMN CAP (4 sides rock face)	24"x24"x2"±
	26"x26"x2"±
	30"x30"x2"±
GARDEN FLAGSTONE (Sand base)	1.5"±
FLAGSTONE (Sand base)	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
ROCK FACE JUMBO PATTERN (4 sides rock face)*	⅞"±
STEPPING STONE (Irregular)	15"-18"x1"-1¼"±
	24"x 30"x1"-1¼"±
WALL CAP (2 long sides rock face & 2 short side saw cut)	12"x24"x2"±
	14"x24"x2"±
*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing ⅛"± under	
*ROCK FACE JUMBO PATTERN SIZES INCLUDE 12"x12", 12"x24", 24"x24", 24"x36"	

BULLNOSE (1 long side bullnose)
12"x24"x1½"±
14"x24"x2"±

STEPPING STONE (Irregular)
15"-18"x1"-1¼"±
24"x30"x1"-1¼"±

PAVER ASHLAR PATTERN 1"±
(4 sides saw cut)
(loose sizes available)
12"x12", 12"x24"±
18"x24", 24"x24"±
24"x36"±



ROCK FACE JUMBO PATTERN ⅞"±
(4 sides rock face)

GARDEN FLAGSTONE
1.5"± (Sand base)

COLUMN CAP (4 sides rock face)
24"x24"x2"±
26"x26"x2"±
30"x30"x2"±

FLAGSTONE
1.5"± (Sand base)

WALL CAP (2 long sides rock face & 2 short side saw cut)
12"x24"x2"±
14"x24"x2"±

INDIAN BLUESTONE

Indian Bluestone comprises darker tones of blues and greys. Similar to other limestones, the surface is relatively smooth and flat with fewer ridges making it suitable for a variety of applications, including interiors and exteriors.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation:★★★☆☆

TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1½"±
COLUMN CAP (4 sides rock face)	24"x24"x2"±
FLAGSTONE (Sand base)	1.5"±
PAVER ASHLAR PATTERN (4 sides saw cut)	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
WALL CAP (2 long sides rock face & 2 short side saw cut)	14"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing ½"± under

FLAGSTONE
1.5"± (Sand Base)

PAVER ASHLAR PATTERN 1"±
(4 sides saw cut)
(loose sizes available)
12"x12", 12"x24",
24"x24"±



BULLNOSE
(1 long side bullnose)
12"x24"x1½"±

COLUMN CAP
(4 sides rock face)
24"x24"x2"±

WALL CAP
(2 long sides rock face & 2 short side saw cut)
14"x24"x2"±

INDIGO BLUESTONE

Indigo Bluestone comprises medium to darker tones of blues with a hint of similar to that of ocean side. This consistent color can beautifully blend along with the pool area giving it a sophisticated look while providing an anti-slip surface.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★☆☆

TYPE	SIZE IN INCHES (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x1½"±
COLUMN CAP (4 sides rock face)	24"x24"x2"±
	26"x26"x2"±
PAVER ASHLAR PATTERN (4 sides saw cut)*	1"±
PAVER (4 sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
SLAB (4 sides rock face)	72"x36"x2"±
STEPS (4 sides rock face)	48"x16"x6"±
WALL CAP (2 long sides rock face & 2 short side saw cut)	14"x24"x2"±

*PAVER ASHLAR PATTERN SIZES INCLUDE 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing ½"± under

PAVER ASHLAR PATTERN 1"±
(4 sides saw cut)
(loose sizes available)
12"x12"±
12"x24"±
24"x24"±



COLUMN CAP
(4 sides rock face)
24"x24"x2"±
26"x26"x2"±



BULLNOSE
(1 long side bullnose)
12"x24"x1½"±

WALL CAP
(2 long sides rock face & 2 short side saw cut)
14"x24"x2"±

SLAB (4 sides rock face)
72"x36"x2"±

STEPS (4 sides rock face)
48"x16"x6"±



LIME BLACK

Lime Black shows nice blend of black & charcoal tones with non-tumbled finish. Depicting fewer ridges on the surface, it serves an ideal option for creating an innovative landscaping design idea, A relatively consistent dark tone makes it optimal to provide contrast for the color and texture of other stone.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★☆☆☆

Disclaimer : Lime Black limestone contain mineral salts that can cause efflorescence over time, lightening the natural stone color.

TYPE	SIZE IN INCHES (Approx.)
FLAGSTONE (Sand base)	1.5"±
SLAB (4 sides rock face)	72"x36"x2"±
	84"x36"x2"±
STEPS (4 Sides rock face)	48"x16"x6"±
TREADS (3 sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±
WINDOW SILL (1 long Side rock face)	24"x3"x2"±

FLAGSTONE
1.5"± (Sand Base)

STEPS (4 Sides rock face)
48"x16"x6"±

WINDOW SILL
(1 long side rock face)
24"x3"x2"±

SLAB (4 sides rock face)
72"x36"x2"±, 84"x36"x2"±



TREADS (3 sides saw cut & 1 long side rock face)
48"x12"x2", 48"x14"x2", 72"x12"x2"±
72"x14"x2", 72"x18"x2", 72"x24"x2"±

SILVER PEARL

SLATE QUARTZITE MIX

Silver Pearl comprises dark variants of black to grey. This vibrant slate quartzite stone blends well with other colors to provide lavishing appeal outdoors.

Finish: Natural Finish, edges are chiseled or a mixture depending on the product.
Color Variation: ★★★☆☆

Type	Size in inches (Approx.)
FLAGSTONE (Sand Base)	1.5"±
GARDEN FLAGSTONE (Sand Base)	1.5"±
LEDGE STONE - PANEL	6"x24"x¾"±
LEDGE STONE - CORNER	6"x18"x6"x¾"±
STEPPING STONE - IRREGULAR	15-18"x1¼"±
THIN VENEER - Dimensional (Flat & Corner)	1"±
THIN VENEER - Ledge (Flat & Corner)	1"±
WINDOW SILL (1 long side rock face)	24"x3"x2"±

LEDGE STONE (Non-Cement Backing)

Corner - 6"x18"x6"x¾"±

Panel - 6"x24"x¾"±

GARDEN FLAGSTONE
1.5"± (sand base)

WINDOW SILL
(1 long side rock face)
24"x3"x2"±

STEPPING STONE IRREGULAR
15"-18"x1¼"±,

THIN VENEER (Dimensional) 1"±

THIN VENEER (Ledge) 1"±

SLATE

Slate is a fine-grained, foliated, homogeneous metamorphic rock obtained from a sedimentary rock of type shale (composed of clay or volcanic ash) under relatively low pressure and temperature conditions. Foliation refers to repetitive layering in metamorphic rocks. Slate is characterized by fine foliation along which it breaks to leave smooth, flat surfaces. The color of a slate is determined by its mineral composition. Slates usually range from shades of light to dark grey in color. Slate is widely used for external flooring, and cladding. Slate floors are commonly laid in outdoor porches, basements, etc. The natural variation of slate allows homeowners to create unique, one -of-a-kind spaces.

Disclaimer:

Water can seep in between layers of slate. In freezing weather, the water expands as it freezes, causing the layers to crack and break over time. Since not all slates can withstand freezing and thawing, it's strongly recommended to seal the stone for better protection.

Scan this QR code to Explore SUI Slatestone Collection

CALIFORNIA GOLD

California gold is a tumbled slate that depicts a dynamic range of colors from gold, browns, greys etc. Which creates mesmerizing and stunning interior and exterior surfaces. The robust coloring makes room for inexhaustible design ideas.

Finish: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color variation: ★★★★★

*Disclaimer: California gold is not recommended for installation around or near pool, spas and hot tubs.

Type	Size in inches (Approx.)
LEDGE STONE - PANEL	6"x24"x¾"±
LEDGE STONE - CORNER	6"x18"x6"x¾"±
PAVER ASHLAR PATTERN (4 SIDES SAW CUT)*	1"±

*PAVER ASHLAR PATTERN Sizes include 12"x12", 12"x18", 12"x24", 12"X30", 18"X18", 18"X24", 18"x30", 24"X24"
Nominal sizing ½"± under

Ledge Stone (Non-Cement Backing)

Corner - 6"x18"x6"x¾"±

Panel - 6"x24"x¾"±

PAVER ASHLAR PATTERN 1"±

(4 SIDES SAW CUT)*



TRAVERTINE

Travertine is a form of limestone formed by the precipitation of carbonate mineral solution in ground and surface waters. Exposure to heat causes the evasion of carbon dioxide from the alkaline solution leaving behind holes on the surface. This reduces the solubility of carbonate, making it precipitate.

Travertine has been used for centuries to build exquisite architectural marvels that are still standing to this day, the most famous coliseum also known as the flavian amphitheatre in Rome. Its proven durability and lasting beauty have continued to prompt builders and homeowners to choose travertine tiles or pavers in modern building projects. Travertine is so versatile; it can be used in a number of places both inside and outside. While regular maintenance and care are required with travertine floors, these materials have the potential to last a long time. Travertine tiles are a great choice when it comes to floors and walls of kitchens, hallways and bathrooms. The exterior elements like walkways, sidewalks, patio, swimming pool and exterior walls etc. can be built using travertine.

Disclaimer: Travertine is a porous stone and the surface will have visible pores. The pores are the inherent nature of the stone which adds a unique look to the stone and should not be considered as defects.

Scan this QR code to Explore SUI Travertine Collection

ANTIQUE IVORY

PAVER VERSAILLES PATTERN 1¼"±
(4 sides saw cut)

BULLNOSE (1long side bullnose)
12"x24"x2"±
16"x24"x2"±

Antique Ivory has a range of colors from cream to light beige that gives it a graceful look to your interiors and exteriors. This light color of travertine is widely used around the pool coping, on wall cladding & floors.

Finish: Tumbled finish, edges are saw-cut, bullnose or a mixture depending on the product.

Color Variation: ★★☆☆☆

*Disclaimer: Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw climates.

TYPE	Size in Inches (Approx.)
BULLNOSE (1 long side bullnose)	12"x24"x2"±
	16"x24"x2"±
PAVER VERSAILLES PATTERN (4 sides saw cut)*	1¼"±
*PAVER VERSAILLES PATTERN sizes include 8"x8", 8"x16",16"x16", 16"x24" Nominal sizing ½"± under	

LEDGE STONE - PANEL/CORNER

Ledgestone or staked stone are stripes of natural stone arranged uniformly on a mesh to form a veneer. The ledgestone panels are "Z" shaped designed to interlock with one another. It comes with matching "L" shaped corner pieces to provide a beautiful finish on the edges. Ledgestone is a versatile and aesthetically pleasing choice for various architectural and design applications. I.e.; retaining walls, Fireplaces, Pillars and columns, Kitchen backsplashes and rich color variations complement every decor style.

Panel - 6"x24"x¾"±
Corner - 6"x18"x6"x¾"±

*The packing of corners shown herein (L-Shaped) is for reference only. Actual packaging and delivery of material contains separate pieces because of safety measures.

Autumn Mist (Sandstone)

California Gold (Slate)

Classic Black (Slate)

Floral White (Marble)

Gold Quartz (Quartzite)

Grey Mist (Sandstone)

Silver Pearl (Slate Quartz Mix)

Steel Quartz (Quartzite)

BULLNOSE



Bullnose refers to a smooth, rounded edge in masonry, enhancing safety and aesthetics. Commonly used for pool coping, wall caps, stairways, and firepits, natural stone bullnoses come in various colors and textures to complement any design. **Finish:** 1 long side bullnose

Antique Black
12"x24"x1½"±
14"x24"x2"±

Antique Ivory
12"x24"x2"±,
16"x24"x2"±

Grey Mist
12"x24"x1½"±
14"x24"x2"±

Indian Bluestone
12"x24"x1½"±



Indigo Bluestone
12"x24"x1½"±

Vintage White
12"x24"x1½"±
14"x24"x2"±



EASED EDGE

Eased edge is a smooth straight edge finish that provides an alternative to the bullnose edge. It is used to provide a safer environment for pool coping, wall caps, stairways, firepits etc.
Finish: 1 long side eased edge.

Autumn Brown
14"x24"x2"±

Grey Mist
14"x24"x2"±

Vintage White
14"x24"x2"±



STEPS

Natural Stone Steps are the risers for places with elevation. Suitable for designing entryways, pool, backyard or front yard steps. Steps are extremely durable, the size of the stone makes it sturdy and reliable once it is installed.
Finish: 4 sides rock face

Autumn Mist
48"x16"x6"±

Buff
48"x16"x6"±

Dusty Wave
48"x16"x6"±

Grey Mist
48"x16"x6"±



Indigo Bluestone
48"x16"x6"±



Lime Black
48"x16"x6"±



Rainbow
(3 sides rock face & 1 long side saw cut)
48"x16"x6"±

Vintage White
48"x16"x6"±

SLAB

Natural stone slabs are a popular choice for kitchen countertops, outdoor BBQs, or outdoor dining areas, offering a seamless and sophisticated appearance. They minimize grout lines, creating a cleaner and more refined look. Each slab is carefully chiseled on all four sides, enhancing the raw elegance and unique character of natural stone. Whether used indoors or outdoors, they add a touch of authenticity and lasting beauty to any space.

Finish: 4 sides rock face

Autumn Brown
72"x36"x2"±, 84"x36"x2"±



Basalt (4 sides saw cut)
72"x27"x2"±, 84"x27"x2"±,

Black Granite (4 sides rock face)
72"x36"x2"±, 84"x36"x2"±



Buff (4 sides rock face)
72"x36"x2"±, 84"x36"x2"±

Grey Mist
72"x36"x2"±, 84"x36"x2"±

Grey Granite
72"x36"x2"±, 84"x36"x2"±

Indigo Bluestone
72"x36"x2"±

Lime Black
72"x36"x2"±, 84"x36"x2"±



Rainbow
72"x36"x2"±

Vintage White
72"x36"x2"±, 84"x36"x2"±

GARDEN FLAGSTONE 1.5"±



FLAGSTONE 1.5"±



WINDOW SILL

A window still is the decorative covering around the window's edge that helps in draining the water to protect the window from water-based damages & also provides the aesthetic appeal to the Place.

Availavle in: 24"x3"x2"± **Finish:** 1 long side rock face

Autumn Mist

Grey Mist

Lime Black

Silver Pearl

Vintage White

TREADS

Treads are long rectangular capstones used on stairs, front doorsteps, wall capping. The length of the tread can minimize the number of grout joints for a flawless design structure. Additionally, they can be used as mantels and hearths for fire places. **Finish:** 3 sides saw cut & 1 long side rock face

Autumn Brown
48"x12"x2"±
72"x12"x2"±
72"x18"x2"±
72"x24"x2"±

Autumn Mist
48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±

Basalt
(3 sides eased edge & 1 long side rock face)
48"x12"x2"±
72"x12"x2"±

Buff
48"x12"x2"±
48"x14"x2"±
72"x14"x2"±
72"x24"x2"±

Black Granite
(3 sides eased edge & 1 long side rock face)
48"x12"x2"±
72"x14"x2"±

Ebony Black
48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±

Grey Mist
48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±

Grey Granite
(3 sides eased edge & 1 long side rock face)
48"x12"x2"±
72"x14"x2"±

Lime Black
48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±

Rainbow 72"x12"x2"±

Slate Grey
48"x12"x2"±
72"x14"x2"±

Vintage White
48"x12"x2"±
72"x14"x2"±

COLUMN CAP

Column caps are used to make a smooth transition for landscape walls serving as finishing touch for pillars, columns and mailboxes. Usually need to be larger than the dimensions of the column to allow overhang.

Finish: 4 sides rock face

Antique Black
24"x24"x2", 26"x26"x2"±, 30"x30"x2"±



Autumn Brown
24"x24"x2", 26"x26"x2"±

Autumn Mist
24"x24"x 2", 26"x26"x2"±

Buff
24"x24"x2"±

Black Granite
24"x24"x2"±

Ebony Black
24"x24"x 2", 26"x26"x2"±, 30"x30"x2"±



Grey Mist
24"x24"x2"±

Grey Granite
24"x24"x2"±

Indian Bluestone
24"x24"x2"±



Indigo Bluestone
24"x24"x2", 26"x26"x2"±



Rainbow
24"x24"x2"±

Slate Grey
24"x24"x2"±

Vintage White
24"x24"x2"±

WALL CAP

Natural stone wall caps provide the perfect finishing touch to a stone retaining wall, or boundary walls. Additionally , it helps in protecting the walls from damage and ingress of water. Chiseled edges provides a distinct finish for landscape designs.

Finish: 2 long sides rock face & 2 short sides saw cut.

Antique Black
12"x24"x2"±
14"x24"x2"±

Autumn Brown
14"x24"x2"±

Autumn Mist
12"x24"x2"±
14"x24"x2"±

Buff
14"x24"x2"±

Grey Mist
12"x24"x2"±
14"x24"x2"±

Indian Bluestone
14"x24"x2"±

Indigo Bluestone
14"x24"x2"±

Rainbow
12"x24"x2"±

Slate Grey
14"x24"x2"±

Vintage White
12"x24"x2"±

THIN VENEER

Natural stone thin veneer is a thin layer of stone used as decorative material that is not meant to be load-bearing. Thin veneer can be used in thin sections because of the shorter span between anchoring points. Multiple units like Column covers, reveal window frames, parapet sections, etc are more economically assembled over thin veneer while enhancing the beauty of the structure.

Available Thickness :
Flat 1±", Corner 1±"

Antique Buff- Ashlar
2¼"±, 5"±, 7¾"±, (Length Free)

Autumn Mist -Ledge

Black Pearl -Ledge

Mocha - Ledge

Mica Rust - Ashlar
2¼"±, 5"±, 7¾"±, (Length Free)

Silver Pearl - Dimensional

Silver Pearl - Ledge

Steel Quartz - Ashlar

Vintage White - Ashlar
2¼"±, 5"±, 7¾"±, (Length Free)

BRICKS

Bricks are the type of natural stone designed to replicate the appearance of traditional bricks while offering the benefits of a thinner profile and lighter weight.

Flat 7.5"x2.25"x⅝"±
Corner 7.5"x2.25"x⅝"±

Antique Brown

Antique Buff

Red

Silver Pearl

Steel Quartz

BASALT FOUNTAIN

Basalt water feature is a distinctive, natural, and stunning addition to any landscape project. If you want an eye-catching fountain, basalt fountain will be a great choice. Basalt's durability and striking appearance indeed make it an excellent choice for stone fountains.

H: 30"-48" Dia (5"-8") ±
H :30"-42" Dia (8"-10") ±

STEPPING STONES

The stepping stone is medium-sized stone with different geometric shapes generally used to create a pathway. These landscaping stepping stones are available in various shapes with which one can create multiple landscape design ideas. One of the main advantages of natural steppers are that they beautifully become an integral part of your garden without disturbing the existing elements.

Antique Black (irregular)
15"-18"x1"-1¼"±
24"x 30"x1"-1¼"±

Autumn Brown (irregular)
15"-18"x1"-1¼"±
24"x 30"x1"-1¼"±

Autumn Mist (irregular)
15"-18"x1"-1¼"±
24"x 30"x1"-1¼"±



Basalt (irregular)
16"-30"x1"-1¼"±



Buff (irregular)
15"-18"x1"-1¼"±
24"x 30"x1"-1¼"±



Grey Mist (irregular)
15"-18"x1"-1¼"±
24"x 30"x1"-1¼"±

Panther (irregular)
15"-18"x1"-1¼"±
24"x 30"x1"-1¼"±

Silver Pearl (irregular)
15"-18"x1"-1¼"±



COBBLESTONES

Cobblestones are cubical granite stones used to pave roads, driveways, walls & fireplace hearths. The durability & aesthetic appeal of the stone makes it an optimal choice for load- bearing areas like driveways.

Black Cobbles
3½"x3½"x3½"±
8"x4"x2"±
9"x5"x5"±
10"x7"x4"±



Gold Cobbles
3½"x3½"x3½"±
8"x4"x2"±
9"x5"x5"±
10"x7"x4"±

Grey Cobbles
3½"x3½"x3½"±
8"x4"x2"±
9"x5"x5"±
10"x7"x4"±



PEBBLES

Pebbles are smooth rounded stones used for decorative purposes. Commonly used as ground cover, it is used externally to create multi-textured pathways or walkways, garden mulch and decorate drains.

Available in :
1"- 3"± (Bag) , 1"- 3"±(loose)

Crystal White

Polished Black



Mixed High Polished

Black Beach

Disclaimer- Not recommended the use of any pebbles in conjunction with DYED mulches of any kind.

PAVER ASHLAR PATTERN

Dimensional pavers are cut into ashlar pattern different sized squares and rectangles and arranged to form a pattern. The sawn edges give a clean finish to the design. The pattern comes in square and rectangular sizes to form an interlocking pattern in horizontal and vertical form. Individual sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24"

Finish: 4 sides saw cut

Antique Black 1"±
(loose sizes available)
12"x12"±
12"x24"±
18"x24"±
24"x24"±
24"x36"±

Autumn Brown 1"±
(loose sizes available)
12"x24"±
24"x24"±
24"x36"±



Autumn Mist 1"±
(Loose sizes available)
12"x24"±
18"x18"±
18"x24"±
24"x24"±
24"x36"±

Basalt 1"±
(loose sizes available)
12"x12"±
12"x24"±
24"x24"±
24"x36"±



Buff 1"±
(loose sizes available)
12"x24"±
24"x24"±
24"x36"±

California Gold 1"±



Dusty Wave 1"±
(loose sizes available)
12"x24"±
24"x24"±

Ebony Black 1"±
(loose sizes available)
12"x12"±
12"x24"±
24"x24"±

Grey Mist 1"±
(loose sizes available)
12"x12"±
12"x24"±
18"x18"±
18"x24"±
24"x24"±
24"x36"±

Indian Bluestone 1"±
(loose sizes available)
12"x12"±
12"x24"±
24"x24"±



Indigo Bluestone 1"±
(loose sizes available)
12"x12"±
12"x24"±
24"x24"±

Rainbow 1"±
(loose sizes available)
12"x24"±
18"x24"±
24"x24"±
24"x36"±

Vintage White 1"±
(loose sizes available)
12"x24"±
24"x24"±
24"x36"±

PAVER JUMBO PATTERN

Paver Jumbo Pattern offers a versatile combination of four quadrilateral paver sizes—12"x12", 12"x24", 24"x24", and 24"x36". Featuring saw-cut edges for a clean, refined finish. Pavers are flat, square, or rectangular pieces of natural stone popularly known as paving stones. Perfect for patios, walkways, courtyards, and pool decks etc. All these pavers are laid together in a particular pattern to cover the ground surface effectively.

Finish: 4 sides saw cut

Black Granite 1"±
(Loose sizes available)
12"x12", 12"x24"±
24"x24", 24"X36"±

Grey Granite 1"±
(Loose sizes available)
12"x12", 12"x24"±
24"x24", 24"X36"±

PAVER VERSAILLES PATTERN

The Versailles Pattern is a combination of multiple numbers of four different size pavers to form a pattern. A total of 12 pieces covering 16 sq.ft. comes with four pieces of each 8"x8" and 16"x16"; two pieces of each 8"x16" and 16"x24" to form a pattern.

Finish: 4 sides saw cut

Antique Ivory 1¼"±

ROCK FACE JUMBO PATTERN

Rock face jumbo pattern comprises of four dimensions i.e., 12"x12", 12"x24", 24"x24", 24"x36".
Finish: 4 sides rock face

Antique Arctic White1"±

Ebony Black 1"±



GREY MIST 7/8"±

BUFF 7/8"±

Antique Black 7/8"±

Autumn Mist 7/8"±



Slate Grey 7/8"±

MARKETING PRODUCTS

We offer a diverse range of marketing materials to showcase our premium natural stone products. Our natural stone and nursery display racks highlight a variety of products, including pavers, ledge stones, steps, wall caps, bullnose, window sills, stepping stones, cobble stones, and pebbles etc. Our thin veneer and porcelain sample boards and natural stone sample boxes provide a detailed view of textures and finishes, making product selection seamless and enhancing the customer experience.

Natural Stone Display Racks

Nursery Display Racks

Sample Boards

Sample Box

PACKING CHART

Description	available in color	pcs/box	boxes/pallet	sq.ft./pallet (approx.)	pcs/pallet	Weight/pallet (approx.)lbs
Bullnose 12"x24"x1½"±	ABL, GM, IB, INB, VW	LOOSE	LOOSE	150	75	3250
Bullnose 12"x24"x2"±	ABL, AIV	LOOSE	LOOSE	80	40	2100
Bullnose 14"x24"x2"±	ABL, GM, VW	LOOSE	LOOSE	103	44	2900
Bullnose 16"x24"x2"±	AIV	LOOSE	LOOSE	107	40	2800
Cobblestone 3½"x3½"x3½"±	BL, GO, GRY	LOOSE	LOOSE	–	530	2500
Cobblestone 8"x4"x2"±	BL, GO, GRY	LOOSE	LOOSE	–	270	2400
Cobblestone 9"x5"x5"±	BL, GO, GRY	LOOSE	LOOSE	–	140	2800
Cobblestone 10"x7"x4"±	BL, GO, GRY	LOOSE	LOOSE	–	90	2800
Column Cap 24"x24"x2"±	ABL, AM,AUB,BLG,BF, EBL, GRG, GM, IB, INB, RB, SLG, VW	LOOSE	LOOSE	80	20	2350
Column Cap 26"x26"x2"±	ABL, AM, AUB, EBL, INB	LOOSE	LOOSE	85	18	2450
Column Cap 30"x30"x2"±	ABL, EBL	LOOSE	LOOSE	113	18	3150
Eased Edge 14"x24"x2"±	AUB, GM, VW	LOOSE	LOOSE	103	44	2950
Garden Flagstone 1.5"±	AAW, ABL, AGO, AM, PA, SP	LOOSE	LOOSE	Coverage 140 Sqft/Pallet	–	2500-2700
Flagstone 1.5"±	AAW, ABL, AGO, AUB, AM, BF, EBL, FV, GM, IB, LB, PA, SP	LOOSE	LOOSE	Coverage 160 Sqft/Pallet	–	3500-4500
Fountain Dia.8"-10",H30"-42"±	BLT	LOOSE	LOOSE	40lft/Pallet	-	2650
Fountain Dia.5"-8",H30"-48"	BLT	LOOSE	LOOSE	80lft/Pallet	–	2000
Ledge Stone Panel 6"x24"x¾"±	AM, CG, CLB, FW, GM, GQU, SP, SQ	5	36	180	180	1600
Ledge Stone Corner 6"x18"x6"x¾"±	AM, CG, CLB, FW, GM, GQU, SP, SQ	6	24	144	144	1300
Paver 12"x12"x1"±	ABL, AM, BLT, BLG, EBL GM, GRG, INB, IB	LOOSE	LOOSE	216	216	3200
Paver 12"x24"x1"±	ABL, AM, AUB, BLT, BLG, BF, DW, EBL, GM, GRG, INB, IB, RB, VW	LOOSE	LOOSE	216	108	3200
Paver 18"x18"x1"±	AM, GM	LOOSE	LOOSE	180	80	2450
Paver 18"x24"x1"±	ABL, AM, GM, RB	LOOSE	LOOSE	240	80	3250
Paver 24"x24"x1"±	ABL, AM, AUB, BLT, BLG, BF, DW, EBL, GM, GRG, INB, RB, IB, VW	LOOSE	LOOSE	144	36	2200
Paver 24"x36"x1"±	ABL, AM, AUB, BLT, BLG, BF, GM, GRG, RB, VW	LOOSE	LOOSE	216	36	2950
Paver Versailles Pattern 1¼"±	AIV	LOOSE	LOOSE	176	132	2550
Paver Ashlar Pattern 1"±	ABL, AM, AUB, BLT, BF, CG, DW, EBL, GM, INB, RB, IB, VW	LOOSE	LOOSE	200	82	3000
Pebbles 1"-3"± (Bag)	BB, CW, PB, MHP,	–		–	50 bags	1600(30lbs/bag)
Pebbles 1"-3"± (Loose)	BB, CW, PB, MHP,	–		–		1 ton/pallet
Rock Face Jumbo Pattern ⅜"±	ABL, AM, BF, GM, SLG	LOOSE	LOOSE	216	72	2350
Rock Face Jumbo Pattern 1"±	AAW, EBL	LOOSE	LOOSE	216	72	2650
Slab 72"x27"x2"±	BLT	LOOSE	LOOSE	108	8	3400
Slab 84"x27"x2"±	BLT	LOOSE	LOOSE	126	8	3950
Slab 72"x36"x2"±	AUB, BLG, BF, GM, GRG, INB, LB, RB, VW	LOOSE	LOOSE	144	8	4200
Slab 84"x36"x2"±	AUB, BLG, BF, GM, GRG, LB, VW	LOOSE	LOOSE	126	6	3750
Stepping Stone Irregular 16"-30"x1"-1¼"±	BLT	LOOSE	LOOSE		30	2300
Stepping Stone Irregular 15"x18"x1"-1¼"±	ABL, AUB, AM, BF, GM, PA, SP	LOOSE	LOOSE	–	60	1850
Stepping Stone Irregular 24"x30"x1"-1¼"±	ABL, AUB, AM, BF, GM, PA,	LOOSE	LOOSE	–	30	2250

Description	available in color	pcs/box	boxes/pallet	sq.ft./pallet (approx.)	pcs/pallet	Weight/pallet (approx.)lbs
Steps 48"x16"x6"±	AM, DW, BF, GM, INB, LB, RB, VW,	LOOSE	LOOSE	32	6	2850
Vintage white Bricks 2"x2¼"x8"±	VW	LOOSE	LOOSE	100	909	2650
Thin Veneer Bricks - Flat 7.5"x2.25"x⅝"±	ABF, ABR, RD, SP, SQ	LOOSE	LOOSE	200	1700	1550
Thin Veneer Bricks - Corner 7.5"x3"x⅝"±	ABF, ABR, RD, SP, SQ	LOOSE	LOOSE	80 lft	–	650
Thin Veneer Flat 1"±	AM, BP, MO, SP, SQ	LOOSE	LOOSE	200	–	2450
Thin Veneer Corner 1"±	AM, BP, MO, SP, SQ	LOOSE	LOOSE	80 lft	–	1250
Thin Veneer Ashlar - Flat 2-1/4" ±, 5"±, 7-3/4"±	ABF, MCR, VW	LOOSE	LOOSE	200	–	2650
Thin Veneer Ashlar - Corner 2-1/4" ±, 5"±, 7-3/4"±	ABF, MCR, VW	LOOSE	LOOSE	80 lft	–	1000
Treads 48"x12"x2"±	AM, AUB, BF, BLT, BLG, EBL, GM, GRG, LB, SLG, VW	LOOSE	LOOSE	72	18	2250
Treads 48"x14"x2"±	AM, BF, EBL, GM, LB	LOOSE	LOOSE	70	15	2150
Treads 72"x12"x2"±	AM, AUB, BLT, EBL, GM, LB, RB	LOOSE	LOOSE	90	15	2850
Treads 72"x14"x2"±	AM, BF, BLG, EBL,GM, GRG, LB, SLG, VW	LOOSE	LOOSE	105	15	3100
Treads 72"x18"x2"±	AM, AUB, EBL, GM, LB	LOOSE	LOOSE	135	15	3850
Treads 72"x24"x2"±	AM, AUB, BF, EBL, GM, LB	LOOSE	LOOSE	120	10	3500
Wall Cap 12"x24"x2"±	ABL, AM, GM, RB, VW	LOOSE	LOOSE	120	60	3400
Wall Cap 14"x24"x2"±	ABL, AM, AUB, BF, GM, INB, IB, SLG	LOOSE	LOOSE	103	44	3000
Window Sill 24"x3"x 2"±	AM, GM, SP, LB, VW	LOOSE	LOOSE	50	100	1650

ETHICS & SUSTAINABILITY POLICY STATEMENT

Imported natural stone are not only beautiful, it is a cost-effective choice for your dream project. When choosing an imported natural stone, it is important to choose a company that adheres to the Ethical Trading Initiative (ETI). Stone Universe cares deeply about this initiative and the ethical sourcing of all the material. Stone Universe Inc. has developed strict policies and guidelines to ensure that all our stone products are harvested and fabricated in environmentally sustainable ways, and that our stone is ethically produced.

We expect everyone we do business with — from our suppliers to retailers — to be responsible and proud of the safe working conditions provided by the Global Trade Initiative and Human Rights Standard.

NOTES